

888 Item Maintenance

Functional Group ID=QG

Introduction:

This Draft Standard for Trial Use provides the format and establishes the data contents of the Item Maintenance Transaction Set (888) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set is used to enable a manufacturer, supplier, broker, or agent to provide detailed finished goods product information to a partner in a consumer goods market. This transaction set can be used to provide information about new products or changes in existing product specifications. Price changes will not be sent with this transaction set, but can be sent with the Price Change Transaction Set (879).

Notes:

1. *Services/Agencies with weapon system program management responsibilities use this transaction set to communicate information to the Defense Logistics Agency (DLA), which manages supporting component/supporting parts and items. This transaction associates a specific part/item, identified by National Stock Number (NSN), with a specific end item/weapons system, identify by Weapons System Designator Code (WSDC), and associated management data.*
2. *The DLA uses this transaction to respond to Service/Agency activities, giving status of their weapon system application submissions.*
3. *DoD logistics users should refer to the Defense Logistics Management System (DLMS) Supplement to the Federal Implementation Convention (IC) available at URL: <http://www.dla.mil/j-6/dlms>. The DLMS Supplement provides specific business rules, conditions, and authorized codes necessary for appropriate use of this IC within the DLMS.*

Heading:

Page No.	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
4	0100	ST	Transaction Set Header	M	1		
5	0150	BGN	Beginning Segment	O	1		
LOOP ID - 0100						>1	
7	0200	N1	Name	M	1		n1
Not Used	0300	N2	Additional Name Information	O	1		
Not Used	0400	N3	Address Information	O	2		
Not Used	0500	N4	Geographic Location	O	1		
Not Used	0600	N9	Reference Identification	O	10		
Not Used	0700	G61	Contact	O	>1		
Not Used	0800	NTE	Note/Special Instruction	O	20		
Not Used	0850	G93	Price Bracket Identification	O	50		

888W(R1) Weapon Systems Data Change

8	0860	G62	Date/Time	M	1	
LOOP ID - 0200						>1
9	0900	LM	Code Source Information	O	1	
10	1000	LQ	Industry Code	M	100	

Detail:

Page No.	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
LOOP ID - 0300						>1	
11	0100	G53	Maintenance Type	M	1		
Not Used	0200	G62	Date/Time	O	3		n2
Not Used	0300	NTE	Note/Special Instruction	O	20		
LOOP ID - 0310						>1	
12	0350	LX	Assigned Number	M	1		
13	0400	G39	Item Characteristics - Vendor's Selling Unit	O	1		
Not Used	0500	G69	Line Item Detail - Description	O	5		
Not Used	0550	QTY	Quantity	O	>1		
Not Used	0560	LIN	Item Identification	O	1		
Not Used	0570	PID	Product/Item Description	O	200		
Not Used	0580	PKG	Marking, Packaging, Loading	O	25		
Not Used	0600	G23	Terms of Sale	O	10		
Not Used	0700	G62	Date/Time	O	2		
Not Used	0800	G36	Price List Reference	O	1		
Not Used	0900	G26	Pricing Conditions	O	2		
Not Used	1000	G43	Promotion/Price List Area	O	9999		
Not Used	1100	G24	Promotion Reference	O	999		
Not Used	1200	G40	Bracket Price	O	99		
Not Used	1300	G93	Price Bracket Identification	O	50		
Not Used	1350	G22	Pricing Information	O	5		
Not Used	1400	G46	Promotion Allowance/Charge	O	99		
Not Used	1450	H1	Hazardous Material	O	5		
Not Used	1500	G54	Module Description	O	99		
16	1510	N9	Reference Identification	O	10		
Not Used	1520	UIT	Unit Detail	O	10		
Not Used	1530	MEA	Measurements	O	10		
Not Used	1540	TD1	Carrier Details (Quantity and Weight)	O	1		
LOOP ID - 0311						>1	
18	1560	N1	Name	O	1		
Not Used	1570	N2	Additional Name Information	O	2		
Not Used	1580	N3	Address Information	O	2		
Not Used	1590	N4	Geographic Location	O	1		
Not Used	1600	PAL	Pallet Information	O	>1		
Not Used	1610	G93	Price Bracket Identification	O	1		
Not Used	1620	QTY	Quantity	O	1		
LOOP ID - 0312						>1	
Not Used	1650	G55	Item Characteristics - Consumer Unit	O	1		
Not Used	1700	G69	Line Item Detail - Description	O	5		

888W(R1) Weapon Systems Data Change

Not Used	1750	QTY	Quantity	O	1
Not Used	1760	LIN	Item Identification	O	1
Not Used	1765	PID	Product/Item Description	O	200
Not Used	1770	H1	Hazardous Material	O	5
Not Used	1775	REF	Reference Identification	O	10
Not Used	1780	PKG	Marking, Packaging, Loading	O	25
Not Used	1785	MEA	Measurements	O	10
Not Used	1790	TD1	Carrier Details (Quantity and Weight)	O	1
Not Used	1795	SLN	Subline Item Detail	O	100
LOOP ID - 0313					>1
19	1800	LM	Code Source Information	O	1
20	1900	LQ	Industry Code	M	100
21	2000	SE	Transaction Set Trailer	M	1

Transaction Set Notes

1. One iteration of the N1 loop should be used to identify the buying party (BY) to establish the area or location for which the item maintenance applies.
2. The G62 segment is used to specify the effective date for the item maintenance action reflected in G5301.

Segment: **ST** Transaction Set Header

Position: 0100

Loop:

Level: Heading

Usage: Mandatory

Max Use: 1

Purpose: To indicate the start of a transaction set and to assign a control number

Syntax Notes:

Semantic Notes:

- 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
- 2 The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition.

Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
M	ST01	143 Transaction Set Identifier Code	M 1 ID 3/3
		Code uniquely identifying a Transaction Set 888 Item Maintenance	
M	ST02	329 Transaction Set Control Number	M 1 AN 4/9
		Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set <i>A unique number assigned by the originator of the transaction set, or the originator's application program.</i>	
	ST03	1705 Implementation Convention Reference	O 1 AN 1/35
		Reference assigned to identify Implementation Convention	

Segment: **BGN** Beginning Segment
Position: 0150
Loop:
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To indicate the beginning of a transaction set
Syntax Notes: 1 If BGN05 is present, then BGN04 is required.
Semantic Notes: 1 BGN02 is the transaction set reference number.
 2 BGN03 is the transaction set date.
 3 BGN04 is the transaction set time.
 4 BGN05 is the transaction set time qualifier.
 5 BGN06 is the transaction set reference number of a previously sent transaction affected by the current transaction.

Comments:**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element Name</u>	
M	BGN01	353 Transaction Set Purpose Code	M 1 ID 2/2
		Code identifying purpose of transaction set 00 Original	
M	BGN02	127 Reference Identification	M 1 AN 1/50
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier <i>Use code "Z" for this data element to satisfy mandatory X12 syntax requirements.</i>	
M	BGN03	373 Date	M 1 DT 8/8
		Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year <i>This date corresponds to the Universal Time Coordinate (UTC).</i>	
	BGN04	337 Time	X 1 TM 4/8
		Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) <i>1. Express the originating activity's time in UTC.</i> <i>2. Express time in a four-position (HHMM) format</i>	
Not Used	BGN05	623 Time Code	O 1 ID 2/2
		Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time;	

since + is a restricted character, + and - are substituted by P and M in the codes that follow

Not Used	BGN06	127	Reference Identification	O	1	AN 1/50
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
	BGN07	640	Transaction Type Code	O	1	ID 2/2
			Code specifying the type of transaction			
			W1 Weapons Data Change			
	BGN08	306	Action Code	O	1	ID 1/2
			Code indicating type of action			
			RS Report Status			
Not Used	BGN09	786	Security Level Code	O	1	ID 2/2
			Code indicating the level of confidentiality assigned by the sender to the information following			

Segment: **N1** Name
Position: 0200
Loop: 0100 Mandatory
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 2 N105 and N106 further define the type of entity in N101.

Notes: *Must use to identify the organization sending the transaction.*

Data Element Summary

	Ref. <u>Des.</u>	Data <u>Element</u>	<u>Name</u>	<u>Attributes</u>		
M	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual 55 Service Manager ICP Inventory Control Point	M	1	ID 2/3
Not Used	N102	93	Name Free-form name	X	1	AN 1/60
Must Use	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) M4 Department of Defense Routing Identifier Code (RIC)	X	1	ID 1/2
Must Use	N104	67	Identification Code Code identifying a party or other code	X	1	AN 2/80
Not Used	N105	706	Entity Relationship Code Code describing entity relationship	O	1	ID 2/2
Must Use	N106	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual FR Message From	O	1	ID 2/3

Must use to indicate that the organization cited in N104 is originating the transaction set.

Segment: **G62** Date/Time
Position: 0860
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To specify pertinent dates and times
Syntax Notes:

- 1 At least one of G6201 or G6203 is required.
- 2 If either G6201 or G6202 is present, then the other is required.
- 3 If either G6203 or G6204 is present, then the other is required.

Semantic Notes:
Comments:

Data Element Summary

	Ref.	Data Element	Name	Attributes	
Must Use	G6201	432	Date Qualifier Code specifying type of date BB Transaction Control Date	X	1 ID 2/2
Must Use	G6202	373	Date Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year	X	1 DT 8/8
Not Used	G6203	176	Time Qualifier Code specifying the reported time	X	1 ID 1/2
Not Used	G6204	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	X	1 TM 4/8
Not Used	G6205	623	Time Code Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	O	1 ID 2/2

Segment: **LM** Code Source Information
Position: 0900
Loop: 0200 Optional
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To transmit standard code list identification information
Syntax Notes:
Semantic Notes:
Comments: 1 LM02 identifies the applicable industry code list source information.

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u>		<u>Attributes</u>
		<u>Element</u>	<u>Name</u>	
M	LM01	559	Agency Qualifier Code Code identifying the agency assigning the code values DF Department of Defense (DoD)	M 1 ID 2/2
Not Used	LM02	822	Source Subqualifier A reference that indicates the table or text maintained by the Source Qualifier	O 1 AN 1/15

Segment: **LQ** Industry Code
Position: 1000
Loop: 0200 Optional
Level: Heading
Usage: Mandatory
Max Use: 100
Purpose: Code to transmit standard industry codes
Syntax Notes: 1 If LQ01 is present, then LQ02 is required.
Semantic Notes:
Comments:

Data Element Summary

	Ref.	Data		Attributes
	Des.	Element	Name	
Must Use	LQ01	1270	Code List Qualifier Code	O 1 ID 1/3
			Code identifying a specific industry code list	
		0	Document Identification Code	
Must Use	LQ02	1271	Industry Code	X 1 AN 1/30
			Code indicating a code from a specific industry code list	

Segment: **G53** Maintenance Type
Position: 0100
Loop: 0300 Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To identify the specific type of item maintenance
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
M	G5301	875	Maintenance Type Code	M 1 ID 3/3
			Code identifying the specific type of item maintenance	
			020 Assignment	
			022 Change in Status	

Segment: **LX** Assigned Number
Position: 0350
Loop: 0310 Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To reference a line number in a transaction set
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>		<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	
M	LX01	554	Assigned Number	M 1 N0 1/6
			Number assigned for differentiation within a transaction set	
			<i>In the first 2/LX/0350 loop iteration, cite numeric 1. If subsequent loop iterations are used, increase incrementally by 1.</i>	

Segment: **G39** **Item Characteristics - Vendor's Selling Unit**
Position: 0400
Loop: 0310 Mandatory
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To identify a vendor's selling unit or to provide physical characteristics relative to a vendor's selling unit

- Syntax Notes:**
- 1 At least one of G3901 or G3902 is required.
 - 2 If either G3902 or G3903 is present, then the other is required.
 - 3 If any of G3905 G3906 or G3907 is present, then all are required.
 - 4 If either G3906 or G3907 is present, then the other is required.
 - 5 If either G3908 or G3909 is present, then the other is required.
 - 6 If either G3910 or G3911 is present, then the other is required.
 - 7 If either G3912 or G3913 is present, then the other is required.
 - 8 If either G3914 or G3915 is present, then the other is required.
 - 9 If either G3918 or G3919 is present, then the other is required.
 - 10 If either G3923 or G3924 is present, then the other is required.
 - 11 If either G3925 or G3926 is present, then the other is required.

Semantic Notes:

Comments:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Not Used	G3901	438 U.P.C. Case Code Code (Universal Product Code - U.P.C.) including two high order digits identifying the "system" (U.S. Grocery = 00, 06 or 07; U.S. Drug = 03); using the U.S. Grocery system, the next ten digits are: Manufacturer (5) Case Code (5)	X 1 AN 12/12
	G3902	235 Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) FS National Stock Number	X 1 ID 2/2
	G3903	234 Product/Service ID Identifying number for a product or service	X 1 AN 1/48
Not Used	G3904	152 Special Handling Code Code specifying special transportation handling instructions	O 1 ID 2/3
Not Used	G3905	395 Unit Weight Numeric value of weight per unit	X 1 R 1/8
Not Used	G3906	187 Weight Qualifier Code defining the type of weight	X 1 ID 1/2
Not Used	G3907	188 Weight Unit Code	X 1 ID 1/1

			Code specifying the weight unit			
Not Used	G3908	65	Height	X	1	R 1/8
			Vertical dimension of an object measured when the object is in the upright position			
Not Used	G3909	355	Unit or Basis for Measurement Code	X	1	ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken			
Not Used	G3910	189	Width	X	1	R 1/8
			Shorter measurement of the two horizontal dimensions measured with the object in the upright position			
Not Used	G3911	355	Unit or Basis for Measurement Code	X	1	ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken			
Not Used	G3912	82	Length	X	1	R 1/8
			Largest horizontal dimension of an object measured when the object is in the upright position			
Not Used	G3913	355	Unit or Basis for Measurement Code	X	1	ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken			
Not Used	G3914	183	Volume	X	1	R 1/8
			Value of volumetric measure			
Not Used	G3915	355	Unit or Basis for Measurement Code	X	1	ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken			
Not Used	G3916	416	Pallet Block and Tiers	O	1	N0 6/6
			Code indicating pallet and load structure; first three digits indicate the number of cases per layer, last three digits indicate the number of layers per pallet			
Not Used	G3917	356	Pack	O	1	N0 1/6
			The number of inner containers, or number of eaches if there are no inner containers, per outer container			
Not Used	G3918	357	Size	X	1	R 1/8
			Size of supplier units in pack			
Not Used	G3919	355	Unit or Basis for Measurement Code	X	1	ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken			
Not Used	G3920	397	Color	O	1	AN 1/10
			Free-form description of color			
Not Used	G3921	398	Order Sizing Factor	O	1	R 1/10
			A product specification other than gross or net weight, or cubic feet for a line item or transaction used for order sizing and pricing purposes			
Not Used	G3922	876	Alternate Tiers per Pallet	O	1	ID 1/3

			Number indicating the alternate tiers per pallet structure; the three digits represent the number of tiers per pallet			
Not Used	G3923	235	Product/Service ID Qualifier	X	1	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
Not Used	G3924	234	Product/Service ID	X	1	AN 1/48
			Identifying number for a product or service			
Not Used	G3925	187	Weight Qualifier	X	1	ID 1/2
			Code defining the type of weight			
Not Used	G3926	395	Unit Weight	X	1	R 1/8
			Numeric value of weight per unit			
Not Used	G3927	810	Inner Pack	O	1	N0 1/6
			The number of eaches per inner container			
Not Used	G3928	103	Packaging Code	O	1	AN 3/5
			Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required			
Not Used	G3929	878	Cash Register Item Description	O	1	AN 1/20
			The cash register description of an item			

Segment: **N9 Reference Identification**
Position: 1510
Loop: 0310 Mandatory
Level: Detail
Usage: Optional
Max Use: 10
Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

- Syntax Notes:**
- 1 At least one of N902 or N903 is required.
 - 2 If N906 is present, then N905 is required.
 - 3 If either C04003 or C04004 is present, then the other is required.
 - 4 If either C04005 or C04006 is present, then the other is required.

- Semantic Notes:**
- 1 N906 reflects the time zone which the time reflects.
 - 2 N907 contains data relating to the value cited in N902.

Comments:

Notes: *Use multiple repetitions as needed to identify the weapon system and other related relevant information.*

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>		
M	N901	128	Reference Identification Qualifier Code qualifying the Reference Identification 21 American Gas Association Equation Number FSN Assigned Sequence Number IT Internal Customer Number IW Part Interchangeability KAS Associated Contract Identifier Q5 Property Control Number Q8 Registration Number W2 Weapon System Number XA Substitute National Stock Number	M	1	ID 2/3
	N902	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X	1	AN 1/50
	N903	369	Free-form Description Free-form descriptive text	X	1	AN 1/45
Not Used	N904	373	Date Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year	O	1	DT 8/8
Not Used	N905	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal	X	1	TM 4/8

seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

Not Used	N906	623	Time Code	O	1	ID 2/2
			Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow			
Not Used	N907	C040	Reference Identifier	O	1	
			To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier			
Not Used	C04001	128	Reference Identification Qualifier	M		ID 2/3
			Code qualifying the Reference Identification			
Not Used	C04002	127	Reference Identification	M		AN 1/50
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
Not Used	C04003	128	Reference Identification Qualifier	X		ID 2/3
			Code qualifying the Reference Identification			
Not Used	C04004	127	Reference Identification	X		AN 1/50
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
Not Used	C04005	128	Reference Identification Qualifier	X		ID 2/3
			Code qualifying the Reference Identification			
Not Used	C04006	127	Reference Identification	X		AN 1/50
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

Segment: **N1** Name
Position: 1560
Loop: 0311 Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes:

- 1 At least one of N102 or N103 is required.
- 2 If either N103 or N104 is present, then the other is required.

Semantic Notes:
Comments:

- 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2 N105 and N106 further define the type of entity in N101.

Notes: *Must use to identify the organization receiving the transaction.*

Data Element Summary

	Ref.	Data	Attributes			
			<u>Des.</u>	<u>Element</u>	<u>Name</u>	
M	N101	98	Entity Identifier Code	M	1	ID 2/3
			Code identifying an organizational entity, a physical location, property or an individual			
		55	Service Manager			
		ICP	Inventory Control Point			
Not Used	N102	93	Name	X	1	AN 1/60
			Free-form name			
Must Use	N103	66	Identification Code Qualifier	X	1	ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)			
		M4	Department of Defense Routing Identifier Code (RIC)			
Must Use	N104	67	Identification Code	X	1	AN 2/80
			Code identifying a party or other code			
Not Used	N105	706	Entity Relationship Code	O	1	ID 2/2
			Code describing entity relationship			
Must Use	N106	98	Entity Identifier Code	O	1	ID 2/3
			Code identifying an organizational entity, a physical location, property or an individual			
		TO	Message To			

Segment: **LM** Code Source Information
Position: 1800
Loop: 0313 Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To transmit standard code list identification information
Syntax Notes:
Semantic Notes:
Comments: 1 LM02 identifies the applicable industry code list source information.

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u>		<u>Attributes</u>
		<u>Element</u>	<u>Name</u>	
M	LM01	559	Agency Qualifier Code Code identifying the agency assigning the code values DF Department of Defense (DoD)	M 1 ID 2/2
Not Used	LM02	822	Source Subqualifier A reference that indicates the table or text maintained by the Source Qualifier	O 1 AN 1/15

Segment: **LQ** Industry Code
Position: 1900
Loop: 0313 Optional
Level: Detail
Usage: Mandatory
Max Use: 100
Purpose: Code to transmit standard industry codes
Syntax Notes: 1 If LQ01 is present, then LQ02 is required.
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>		<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	
Must Use	LQ01	1270	Code List Qualifier Code	O 1 ID 1/3
			Code identifying a specific industry code list	
			80 Advice Code	
			81 Status Code	
			FF Essentiality Code	
			FG Source Maintenance and Recoverability Code	
			LM Case Origin Code	
Must Use	LQ02	1271	Industry Code	X 1 AN 1/30
			Code indicating a code from a specific industry code list	

Segment: **SE** Transaction Set Trailer
Position: 2000
Loop:
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

Data Element Summary

	Ref.	Data		Attributes
		<u>Des.</u>	<u>Element Name</u>	
M	SE01	96	Number of Included Segments	M 1 N0 1/10
			Total number of segments included in a transaction set including ST and SE segments	
M	SE02	329	Transaction Set Control Number	M 1 AN 4/9
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	
			<i>Cite the same number as the one cited in ST02.</i>	