

# 846 Inventory Inquiry/Advice

## Functional Group=IB

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Inventory Inquiry/Advice Transaction Set (846) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used in the following ways: (1) for a seller of goods and services to provide inventory information to a prospective purchaser, with no obligation to the purchaser to acquire these goods or services; (2) for a representative of a seller of goods and services to supply inventory information to that seller; (3) for one location to supply another location with inventory information; and (4) for an inquiry as to the availability of inventory with no obligation on the seller of goods and services to reserve that inventory.

### Federal Note:

1. Organizations use this transaction set to advise storage organizations of freeze or unfreeze actions on conventional ammunition.
2. Use one occurrence of this transaction set to transmit a single or multiple transactions.
3. DoD logistics users should refer to the Defense Logistics Management System (DLMS) Supplement to the Federal Implementation Convention (IC) available at URL: <http://www.dla.mil/j-6/dlms>. The DLMS Supplement provides specific business rules, conditions, and authorized codes necessary for appropriate use of this IC within the DLMS.

### DLMS Note:

1. The Single Manager for Conventional Ammunition (SMCA) uses this transaction set to advise storage organizations of freeze or unfreeze actions on conventional ammunition. This transaction encompasses functionality of MILSTRAP Document Identifier (DI) Codes DA1 and DA2.
2. Use a single occurrence of this transaction set to exchange transactions between the SMCA and a single or multiple storage organizations.
3. Users operating under the Defense Logistics Management system (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and the Accounting Classification Appendix which can be found on the DLA Logistics Management Standards web site at <http://www.dla.mil/j-6/dlms>.
4. This DLMS Supplement contains:
  - a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DLA Logistics Management Standards prior to use.
  - b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with DLA Logistics Management Standards prior to use.
  - c. Defense Logistics Standard System (DLSS) data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed DLSS/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DLA Logistics Management Standards for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.
  - d. Data elements which have an expanded files size above existing DLSS capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DLA Logistics Management Standards prior to use.
  - e. Data associated with a DLMS enhancement authorized for implementation by modernized systems under DLMS migration. This data (including expanded field sizes) should be adopted during, or subsequent to, modernization when applicable to the Component's business process. Prior coordination is not required. Components should ensure that inclusion of this data in a DLMS transaction does not cause inappropriate rejection of the transaction.
5. This transaction may be used to provide Unique Item Identifier (UII) information. Refer to the Unique Identification (UID) web at URL: <http://www.acq.osd.mil/dpap/sitemap.html> for DoD policy and business rules.
6. This revision to the DLMS Supplement incorporates Proposed DLMS Change (PDC) and Approved DLMS Change (ADC) listed. PDCs/ADCs are available from the DLA Logistics Management Standards web site <http://www.dla.mil/j-6/dlms/elibrary/Changes/processchanges.asp>
  - ADC 77, Air Force Unique Management Coding for Materiel Management Aggregation Code (MMAC)
  - ADC 155, Inclusion of Data Supporting UID of Items in DLMS Supplements 846A, Asset Reclassification, 846F, Ammunition Freeze/Unfreeze and 846I, Asset Status Inquiry/ Report
  - ADC 249, Administrative Updates to DLMS 140A, 846A, and 846F to Include Updates for Batch/Lot and Unique Item Identifier (UII) Field Length Limitations
  - ADC 292, Administrative Update to DLMS, Volume 2, Chapter 14 and DLMS Supplement 846F, Ammunition Freeze/Unfreeze Action (Supply/ MILSTRAP)
  - ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers

**Heading:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BIA	Beginning Segment for Inventory Inquiry/Advice	M	1			Must use
* 040	CUR	Currency	O	1			Not Used
* 050	DTM	Date/Time Reference	O	10			Not Used
* 060	REF	Reference Identification	O	12			Not Used
* 070	PER	Administrative Communications Contact	O	3			Not Used
* 075	MEA	Measurements	O	20			Not Used
<b>LOOP ID - N1</b>					<b>5</b>		
080	N1	Name	O	1			Used
* 090	N2	Additional Name Information	O	2			Not Used
* 100	N3	Address Information	O	2			Not Used
* 110	N4	Geographic Location	O	1			Not Used
* 120	REF	Reference Identification	O	12			Not Used
* 130	PER	Administrative Communications Contact	O	3			Not Used
<b>LOOP ID - LM</b>					<b>10</b>		
140	LM	Code Source Information	O	1			Used
150	LQ	Industry Code	M	100			Must use

**Detail:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<b>LOOP ID - LIN</b>					<b>10000</b>		
010	LIN	Item Identification	M	1			Must use
* 030	PID	Product/Item Description	O	200			Not Used
* 040	MEA	Measurements	O	40			Not Used
* 050	PKG	Marking, Packaging, Loading	O	25			Not Used
100	DTM	Date/Time Reference	O	10			Used
* 110	CTP	Pricing Information	O	25			Not Used
* 120	CUR	Currency	O	1			Not Used
* 130	SAC	Service, Promotion, Allowance, or Charge Information	O	25			Not Used
140	REF	Reference Identification	O	>1			Used
* 150	PER	Administrative Communications Contact	O	3			Not Used
* 220	SDQ	Destination Quantity	O	500			Not Used
* 230	MAN	Marks and Numbers	O	1			Not Used
* 235	UIT	Unit Detail	O	5			Not Used
* 240	CS	Contract Summary	O	1			Not Used
* 250	DD	Demand Detail	O	>1			Not Used
* 255	G53	Maintenance Type	O	1			Not Used
* 256	PCT	Percent Amounts	O	>1			Not Used
* 257	LDT	Lead Time	O	12			Not Used
<b>LOOP ID - LM</b>					<b>10</b>		
260	LM	Code Source Information	O	1			Used
270	LQ	Industry Code	M	100			Must use
<b>* LOOP ID - SLN</b>					<b>1000</b>		
* 280	SLN	Subline Item Detail	O	1			Not Used
* 290	PID	Product/Item Description	O	200			Not Used
* 300	MEA	Measurements	O	40			Not Used
* 310	PKG	Marking, Packaging, Loading	O	25			Not Used

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<b>* LOOP ID - MAN</b>					<b>100</b>		
* 312	MAN	Marks and Numbers	O	1			Not Used
* 314	MEA	Measurements	O	40			Not Used
<b>LOOP ID - QTY</b>					<b>99</b>		
320	QTY	Quantity	O	1			Used
* 330	UIT	Unit Detail	O	12			Not Used
* 340	MEA	Measurements	O	25			Not Used
* 350	LDT	Lead Time	O	12			Not Used
* 355	DTM	Date/Time Reference	O	10			Not Used
<b>* LOOP ID - SCH</b>					<b>25</b>		
* 360	SCH	Line Item Schedule	O	1			Not Used
* 370	MEA	Measurements	O	25			Not Used
<b>LOOP ID - LM</b>					<b>≥1</b>		
375	LM	Code Source Information	O	1			Used
376	LQ	Industry Code	M	100			Must use
<b>LOOP ID - LS</b>					<b>1</b>		
380	LS	Loop Header	O	1			Used
<b>LOOP ID - REF</b>					<b>≥1</b>	<b>N2/390L</b>	
390	REF	Reference Identification	O	1		N2/390	Used
400	DTM	Date/Time Reference	O	>1			Used
410	N1	Name	O	1			Used
<b>* LOOP ID - LM</b>					<b>10</b>		
* 420	LM	Code Source Information	O	1			Not Used
* 430	LQ	Industry Code	M	100			Not Used
440	LE	Loop Trailer	M	1			Used
<b>LOOP ID - N1</b>					<b>200</b>		
450	N1	Name	O	1			Used
* 460	N2	Additional Name Information	O	2			Not Used
* 470	N3	Address Information	O	2			Not Used
* 480	N4	Geographic Location	O	1			Not Used
* 490	REF	Reference Identification	O	12			Not Used
* 500	PER	Administrative Communications Contact	O	3			Not Used

**Summary:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 010	CTT	Transaction Totals	O	1		N3/010	Not Used
020	SE	Transaction Set Trailer	M	1			Must use

**Notes:**

2/390L The REF loop conveys serial number, lot number, and inventory data.

2/390 The REF loop conveys serial number, lot number, and inventory data.

3/010 Number of line items (CTT01) is the accumulation of number of LIN segments. If used, hash total (CTT02) is the sum of the values of the quantities (QTY02) of each QTY segment.

# ST Transaction Set Header

<b>Pos: 010</b>	<b>Max: 1</b>
<b>Heading - Mandatory</b>	
<b>Loop: N/A</b>	<b>Elements: 2</b>

**User Option (Usage):** Must use

**Purpose:** To indicate the start of a transaction set and to assign a control number

## Semantics:

- The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
ST01	143	<b>Transaction Set Identifier Code</b>	M	ID	3/3	Must use	1
		<b>Description:</b> Code uniquely identifying a Transaction Set					
		<b>Code Name</b>					
		846 Inventory Inquiry/Advice					
ST02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use	1
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		<b>Federal Note:</b> <i>A unique number assigned by the originator of the transaction set, or the originator's application program.</i>					

# BIA Beginning Segment for Inventory Inquiry/Advice

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 5

**User Option (Usage):** Must use

**Purpose:** To indicate the beginning of an Inventory Inquiry/Advice Transaction Set

## Semantics:

1. BIA03 identifies the number of the inquiry/advice that is transferred.
2. BIA04 identifies the date of the inquiry/advice that is transferred.
3. BIA05 identifies the time of the inquiry/advice that is transferred.

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
BIA01	353	<b>Transaction Set Purpose Code</b>	M	ID	2/2	Must use	1
<b>Description:</b> Code identifying purpose of transaction set							
<b>Code Name</b>							
00 Original							
77 Simulation Exercise							
<b>DLMS Note:</b>							
<i>Use to identify a simulated mobilization exercise transaction set. Activities initiating simulated mobilization exercises must ensure complete coordination with all activities involved. All transaction set recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records.</i>							
BIA02	755	<b>Report Type Code</b>	M	ID	2/2	Must use	1
<b>Description:</b> Code indicating the title or contents of a document, report or supporting item							
<b>Code Name</b>							
ZB Conventional Ammunition Suspension Report							
<b>DLMS Note:</b>							
<i>Use to identify a Single Manager for Conventional Ammunition (SMCA) freeze/unfreeze action transaction. (MILSTRAP DI Code DA1/DA2 functionality)</i>							
BIA03	127	<b>Reference Identification</b>	M	AN	1/30	Must use	1
<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier							
<b>Federal Note:</b> Use Code "Z" for this data element to satisfy mandatory X12 syntax requirements.							
BIA04	373	<b>Date</b>	M	DT	8/8	Must use	1
<b>Description:</b> Date expressed as CCYYMMDD							
<b>Federal Note:</b> This is the date of transaction set preparation. This date corresponds to the Universal Time Coordinate (UTC).							
<b>DLMS Note:</b> DLMS enhancement; see DLMS supplement note 4a.							
BIA05	337	<b>Time</b>	O	TM	4/8	Used	1

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		<p><b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)</p> <p><b>Federal Note:</b> 1. Express the originating activity's time of transaction set preparation in UTC.</p> <p>2. Express time in a four-position (HHMM) format.</p> <p><b>DLMS Note:</b> DLMS enhancement; see DLMS supplement note 4a.</p>					

# N1 Name

<b>Pos: 080</b>	<b>Max: 1</b>
<b>Heading - Optional</b>	
<b>Loop: N1</b>	<b>Elements: 4</b>

**User Option (Usage):** Used**Purpose:** To identify a party by type of organization, name, and code**Syntax Rules:**

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

**Comments:**

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

**Federal Note:**

*Must use this 1/N1/080 loop to identify the organization originating the transaction set.*

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use	1
		<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual					
		<b>Federal Note:</b> Use any code.					
		<b>DLMS Note:</b> For DLMS use, only the following code is authorized.					
		<b>Code</b>	<b>Name</b>				
		KA	Item Manager				
		<b>DLMS Note:</b>					
		1. Must use to identify the SMCA.					
		2. DLMS enhancement; see See DLMS supplement note 4a.					
N103	66	<b>Identification Code Qualifier</b>	X	ID	1/2	Used	1
		<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)					
		<b>Code</b>	<b>Name</b>				
		1	D-U-N-S Number, Dun & Bradstreet				
		<b>DLMS Note:</b>					
		DLMS enhancement; see DLMS supplement note 4a.					
		9	D-U-N-S+4, D-U-N-S Number with Four Character Suffix				
		<b>DLMS Note:</b>					
		DLMS enhancement; see DLMS supplement note 4a.					
		10	Department of Defense Activity Address Code (DODAAC)				
		<b>DLMS Note:</b>					
		DLMS enhancement; see DLMS supplement note 4a.					
		M4	Department of Defense Routing Identifier Code (RIC)				
N104	67	<b>Identification Code</b>	X	AN	2/80	Used	1
		<b>Description:</b> Code identifying a party or other code					
N106	98	<b>Entity Identifier Code</b>	O	ID	2/3	Used	1

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
------------	-----------	---------------------	------------	-------------	----------------	--------------	------------

**Description:** Code identifying an organizational entity, a physical location, property or an individual

**Code Name**

FR Message From

**Federal Note:**

*Must use to indicate the organization cited in N104 is originating the transaction set.*

# LM Code Source Information

<b>Pos: 140</b>	<b>Max: 1</b>
<b>Heading - Optional</b>	
<b>Loop: LM</b>	<b>Elements: 1</b>

**User Option (Usage):** Used

**Purpose:** To transmit standard code list identification information

**Comments:**

1. LM02 identifies the applicable industry code list source information.

**Federal Note:**

*Must use this 1/LM/140 loop to identify coded information maintained in department or agency documentation.*

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LM01	559	<b>Agency Qualifier Code</b>	M	ID	2/2	Must use	1
		<b>Description:</b> Code identifying the agency assigning the code values					
		<b>Code Name</b>					
		DF Department of Defense (DoD)					

# LQ Industry Code

<b>Pos: 150</b>	<b>Max: 100</b>
<b>Heading - Mandatory</b>	
<b>Loop: LM</b>	<b>Elements: 2</b>

**User Option (Usage):** Must use**Purpose:** Code to transmit standard industry codes**Syntax Rules:**

1. C0102 - If LQ01 is present, then LQ02 is required.

**Federal Note:**

*Use to identify codes, as appropriate, consistent with management information requirements.*

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LQ01	1270	<b>Code List Qualifier Code</b>	O	ID	1/3	Used	1
<b>Description:</b> Code identifying a specific industry code list							
<b>Federal Note:</b> <i>Use any code.</i>							
<b>DLMS Note:</b> <i>For DLMS use, only the following codes are authorized.</i>							
<b>Code Name</b>							
0		Document Identification Code					
<b>DLMS Note:</b>							
1. <i>Future Streamlined data; see DLMS supplement note 4c.</i>							
2. <i>The DLSS DI Code is retained in the DLMS to facilitate transaction conversion in a mixed DLSS/DLMS environment. Continued support of the DI Code in a full DLMS environment will be assessed at a future date.</i>							
A9		Supplemental Data					
<b>DLMS Note:</b>							
1. <i>Use to identify supplemental address/data.</i>							
2. <i>Future streamlined data; see introductory DLMS note 4c.</i>							
AJ		Utilization Code					
<b>DLMS Note:</b>							
1. <i>Under DLSS, this is the first position of the document serial number.</i>							
2. <i>DLMS enhancement; see introductory DLMS note 4a.</i>							
LQ02	1271	<b>Industry Code</b>	X	AN	1/30	Used	1
<b>Description:</b> Code indicating a code from a specific industry code list							

# LIN Item Identification

<b>Pos: 010</b>	<b>Max: 1</b>
<b>Detail - Mandatory</b>	
<b>Loop: LIN</b>	<b>Elements: 4</b>

**User Option (Usage):** Must use

**Purpose:** To specify basic item identification data

## Syntax Rules:

1. P0405 - If either LIN04 or LIN05 is present, then the other is required.
2. P0607 - If either LIN06 or LIN07 is present, then the other is required.
3. P0809 - If either LIN08 or LIN09 is present, then the other is required.
4. P1011 - If either LIN10 or LIN11 is present, then the other is required.
5. P1213 - If either LIN12 or LIN13 is present, then the other is required.
6. P1415 - If either LIN14 or LIN15 is present, then the other is required.
7. P1617 - If either LIN16 or LIN17 is present, then the other is required.
8. P1819 - If either LIN18 or LIN19 is present, then the other is required.
9. P2021 - If either LIN20 or LIN21 is present, then the other is required.
10. P2223 - If either LIN22 or LIN23 is present, then the other is required.
11. P2425 - If either LIN24 or LIN25 is present, then the other is required.
12. P2627 - If either LIN26 or LIN27 is present, then the other is required.
13. P2829 - If either LIN28 or LIN29 is present, then the other is required.
14. P3031 - If either LIN30 or LIN31 is present, then the other is required.

## Semantics:

1. LIN01 is the line item identification

## Comments:

1. See the Data Dictionary for a complete list of IDs.
2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

## Federal Note:

*Must use the 2/LIN/010 loop to identify the material, transaction number, and inventory information associated with the freeze/unfreeze action.*

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LIN02	235	Product/Service ID Qualifier	M	ID	2/2	Must use	1

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**Federal Note:** Use any code.

**DLMS Note:** 1. Use only one of codes A2, FS or MG to identify the ammunition item. Must use National Stock Number (NSN) (code FS) when known.

2. For DLMS use, only the following codes are

authorized.

### Code Name

A2 Department of Defense Identification Code (DoDIC)

**DLMS Note:**

**Code Name***Use to identify ammunition items.*

F4 Series Identifier

**DLMS Note:***Use to identify the manufacturer's series number of the end item.*

FS National Stock Number

**DLMS Note:***Use if no DoDIC assigned to the item.*

MG Manufacturer's Part Number

**DLMS Note:***Use to identify the ammunition manufacturer's part number when no DoDIC is assigned.*

MN Model Number

**DLMS Note:***Use to identify the manufacturer's model number of the end item.*

SN Serial Number

**DLMS Note:***Use to identify the manufacturer's serial number of the end item.*

LIN03	234	<b>Product/Service ID</b>	M	AN	1/48	Must use	1
<b>Description:</b> Identifying number for a product or service							

LIN04	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Used	1
<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)							

**Code Name**

ZB Commercial and Government Entity (CAGE) Code

**DLMS Note:***Use with LIN02 code MG to uniquely identify the ammunition manufacturer's part number.*

LIN05	234	<b>Product/Service ID</b>	X	AN	1/48	Used	1
<b>Description:</b> Identifying number for a product or service							

# DTM Date/Time Reference

<b>Pos: 100</b>	<b>Max: 10</b>
<b>Detail - Optional</b>	
<b>Loop: LIN</b>	<b>Elements: 2</b>

**User Option (Usage):** Used

**Purpose:** To specify pertinent dates and times

## Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

## Federal Note:

*Must use 2/DTM/100 to identify dates associated with the transaction.*

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>										
DTM01	374	<b>Date/Time Qualifier</b>	M	ID	3/3	Must use	1										
<p><b>Description:</b> Code specifying type of date or time, or both date and time</p> <p><b>Federal Note:</b> <i>Use any code.</i></p> <p><b>DLMS Note:</b> <i>For DLMS use, only the following codes are authorized.</i></p> <table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>168</td> <td>Release</td> </tr> <tr> <td colspan="2"> <p><b>DLMS Note:</b></p> <p>1. <i>Use to identify the effective date ammunition is released from suspension.</i></p> <p>2. <i>DLMS enhancement; see DLMS supplement note 4a.</i></p> </td> </tr> <tr> <td>600</td> <td>As Of</td> </tr> <tr> <td colspan="2"> <p><b>DLMS Note:</b></p> <p>1. <i>Use to identify the effective date ammunition is to be suspended from use or issue.</i></p> <p>2. <i>DLMS enhancement; see DLMS supplement note 4a.</i></p> </td> </tr> </tbody> </table>								<u>Code</u>	<u>Name</u>	168	Release	<p><b>DLMS Note:</b></p> <p>1. <i>Use to identify the effective date ammunition is released from suspension.</i></p> <p>2. <i>DLMS enhancement; see DLMS supplement note 4a.</i></p>		600	As Of	<p><b>DLMS Note:</b></p> <p>1. <i>Use to identify the effective date ammunition is to be suspended from use or issue.</i></p> <p>2. <i>DLMS enhancement; see DLMS supplement note 4a.</i></p>	
<u>Code</u>	<u>Name</u>																
168	Release																
<p><b>DLMS Note:</b></p> <p>1. <i>Use to identify the effective date ammunition is released from suspension.</i></p> <p>2. <i>DLMS enhancement; see DLMS supplement note 4a.</i></p>																	
600	As Of																
<p><b>DLMS Note:</b></p> <p>1. <i>Use to identify the effective date ammunition is to be suspended from use or issue.</i></p> <p>2. <i>DLMS enhancement; see DLMS supplement note 4a.</i></p>																	
DTM02	373	<b>Date</b>	X	DT	8/8	Used	1										
<p><b>Description:</b> Date expressed as CCYYMMDD</p>																	

# REF Reference Identification

<b>Pos:</b> 140	<b>Max:</b> >1
<b>Detail - Optional</b>	
<b>Loop:</b> LIN	<b>Elements:</b> 2

**User Option (Usage):** Used

**Purpose:** To specify identifying information

## Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

## Semantics:

1. REF04 contains data relating to the value cited in REF02.

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
REF01	128	<b>Reference Identification Qualifier</b>	M	ID	2/3	Must use	1
		<p><b>Description:</b> Code qualifying the Reference Identification</p> <p><b>Federal Note:</b> Use any code.</p> <p><b>DLMS Note:</b> For DLMS use, only the following code is authorized.</p>					
		<p><b>Code Name</b></p> <p>TN Transaction Reference Number</p> <p><b>DLMS Note:</b></p> <p>Must use to identify the transaction number assigned to the transaction.</p>					
REF02	127	<b>Reference Identification</b>	X	AN	1/30	Used	1
		<p><b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier</p>					

# LM Code Source Information

<b>Pos: 260</b>	<b>Max: 1</b>
<b>Detail - Optional</b>	
<b>Loop: LM</b>	<b>Elements: 1</b>

**User Option (Usage):** Used

**Purpose:** To transmit standard code list identification information

## Comments:

1. LM02 identifies the applicable industry code list source information.

## Federal Note:

*Use this 2/LM/260 loop to identify coded information in department or agency documentation.*

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	M	ID	2/2	Must use	1

**Description:** Code identifying the agency assigning the code values

**Code Name**

DF Department of Defense (DoD)

# LQ Industry Code

<b>Pos: 270</b>	<b>Max: 100</b>
<b>Detail - Mandatory</b>	
<b>Loop: LM</b>	<b>Elements: 2</b>

**User Option (Usage):** Must use**Purpose:** Code to transmit standard industry codes**Syntax Rules:**

1. C0102 - If LQ01 is present, then LQ02 is required.

**Federal Note:**

*Use to identify codes, as appropriate, consistent with management information requirements.*

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LQ01	1270	Code List Qualifier Code	O	ID	1/3	Used	1

**Description:** Code identifying a specific industry code list

**Federal Note:** *Use any code.*

**DLMS Note:** *For DLMS use, only the following codes are authorized.*

**Code Name**

84 Management Code

**DLMS Note:**

*Use to identify supplemental management information associated with the freeze/unfreeze action.*

A9 Supplemental Data

**DLMS Note:**

*1. Use to identify supplemental address/data.*

*2. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the DLSS Supplemental Address (SUPAAD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 4d.*

*3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 4a.*

*4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPAAD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 4c.*

AJ Utilization Code

**DLMS Note:**

*1. Under DLSS, this is the first position of the document serial number.*

*2. DLMS enhancement; see introductory DLMS note 4a.*

LQ02	1271	Industry Code	X	AN	1/30	Used	1
------	------	---------------	---	----	------	------	---

**Description:** Code indicating a code from a specific industry code list

# QTY Quantity

<b>Pos: 320</b>	<b>Max: 1</b>
<b>Detail - Optional</b>	
<b>Loop: QTY</b>	<b>Elements: 3</b>

**User Option (Usage):** Used**Purpose:** To specify quantity information**Syntax Rules:**

1. R0204 - At least one of QTY02 or QTY04 is required.
2. E0204 - Only one of QTY02 or QTY04 may be present.

**Semantics:**

1. QTY04 is used when the quantity is non-numeric.

**DLMS Note:**

1. Use the 2/REF/390 loop as needed to identify Unique Item Tracking (UIT) information related to inventory quantities.
2. Use multiple iterations of the 2/QTY/320 loop to stratify quantity by material classification.

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
QTY01	673	<b>Quantity Qualifier</b>	M	ID	2/2	Must use	1
		<b>Description:</b> Code specifying the type of quantity					
		<b>Federal Note:</b> Use any code.					
		<b>DLMS Note:</b> For DLMS use, only the following codes are authorized.					
		<b>Code</b>	<b>Name</b>				
		01	Discrete Quantity				
		<b>DLMS Note:</b>					
		Use to identify the quantity suspended or released from suspension.					
QTY02	380	<b>Quantity</b>	X	R	1/15	Used	1
		<b>Description:</b> Numeric value of quantity					
		<b>Federal Note:</b> Express as a whole number with no decimals.					
		<b>DLMS Note:</b> A field size exceeding 5 positions (seven for FSG 13, ammunition) may not be received or understood by recipient's automated processing system. See DLMS supplement note 4d.					
QTY03	C001	<b>Composite Unit of Measure</b>	O	Comp		Used	1
		<b>Description:</b> To identify a composite unit of measure(See Figures Appendix for examples of use)					
QTY03-01	355	<b>Unit or Basis for Measurement Code</b>	M	ID	2/2	Must use	1
		<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken					
		<b>DLMS Note:</b> DLMS users see the Unit of Issue and Purchase Unit					
		Conversion Table for applicable codes.					

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
<b>All valid standard codes are used.</b>							

# LM Code Source Information

<b>Pos: 375</b>	<b>Max: 1</b>
<b>Detail - Optional</b>	
<b>Loop: LM</b>	<b>Elements: 1</b>

**User Option (Usage):** Used

**Purpose:** To transmit standard code list identification information

## Comments:

1. LM02 identifies the applicable industry code list source information.

## Federal Note:

*Use the 2/LM/375 loop to identify coded information maintained in department or agency documentation.*

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LM01	559	<b>Agency Qualifier Code</b>	M	ID	2/2	Must use	1
		<b>Description:</b> Code identifying the agency assigning the code values					
		<b>Code Name</b>					
		DF Department of Defense (DoD)					

# LQ Industry Code

<b>Pos: 376</b>	<b>Max: 100</b>
<b>Detail - Mandatory</b>	
<b>Loop: LM</b>	<b>Elements: 2</b>

**User Option (Usage):** Must use**Purpose:** Code to transmit standard industry codes**Syntax Rules:**

1. C0102 - If LQ01 is present, then LQ02 is required.

**Federal Note:**

*Use to identify codes, as appropriate, consistent with management information requirements.*

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LQ01	1270	Code List Qualifier Code	O	ID	1/3	Used	1

**Description:** Code identifying a specific industry code list

**Federal Note:** *Use any code.*

**DLMS Note:** *1. Use either code 99 or A1 (but not both), except for ammunition where both codes may be used. (Use of both codes for ammunition is a DLMS enhancement (see introductory DLMS note 4a.)*

*2. For DLMS use, only the following codes are authorized.*

**Code Name**

83 Supply Condition Code

**DLMS Note:**

*Use to identify supply condition of the material.*

99 Purpose Code

**DLMS Note:**

*Use to identify the purpose of the material.*

A1 Ownership Code

**DLMS Note:**

*Use to identify ownership of the material.*

A9 Supplemental Data

**DLMS Note:**

*1. Use to identify supplemental address/data.*

*2. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the DLSS Supplemental Address (SUPAAD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 4d.*

*3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 4a.*

*4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPAAD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 4c.*

AJ Utilization Code

**DLMS Note:**

*1. Under DLSS, this is the first position of the document serial number.*

*2. DLMS enhancement; see introductory DLMS note 4a.*

**Code Name**

GQ Group Qualifier Code

**DLMS Note:**

*Use to identify the MMAC for NSNs to be managed by a specific manager (i.e., system, program, aggregation, selected FSC, technology group). This is an Air Force-unique data element, meaningful to the Air Force only. Non-Air Force Components perpetuate without action.*

*A data maintenance action was approved in version 5010. The approved code/name is "MAC-Materiel Management Aggregation code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.*

COG Cognizance Symbol

**DLMS Note:**

*Use to identify the material cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.*

IMC Item Management Code

**DLMS Note:**

*Use to identify the Item Management Code (IMC) for integrated material management. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.*

MCC Material Control Code

**DLMS Note:**

*Use to identify the Material Control Code (MCC) for special inventory reporting. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.*

SMI Special Material Identification Code

**DLMS Note:**

*Use to identify the Special Material Identification Code (SMIC) for an end item. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.*

LQ02	1271	<b>Industry Code</b>	X	AN	1/30	Used	1
------	------	----------------------	---	----	------	------	---

**Description:** Code indicating a code from a specific industry code list

# LS Loop Header

<b>Pos: 380</b>	<b>Max: 1</b>
<b>Detail - Optional</b>	
<b>Loop: LS</b>	<b>Elements: 1</b>

**User Option (Usage):** Used

**Purpose:** To indicate that the next segment begins a loop

## Semantics:

- One loop may be nested contained within another loop, provided the inner nested loop terminates before the outer loop. When specified by the standard setting body as mandatory, this segment in combination with "LE", must be used. It is not to be used if not specifically set forth for use. The loop identifier in the loop header and trailer must be identical. The value for the identifier is the loop ID of the required loop segment. The loop ID number is given on the transaction set diagram in the appropriate ASC X12 version/release.

## Comments:

- See Figures Appendix for an explanation of the use of the LS and LE segments.

## Federal Note:

*Use as needed in each 2/QTY/320 loop to prevent a syntax error in the use of the 2/REF/390 loop.*

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LS01	447	Loop Identifier Code	M	AN	1/6	Must use	1

**Description:** The loop ID number given on the transaction set diagram is the value for this data element in segments LS and LE

**Federal Note:** *Cite REF to indicate the 2/REF/390 loop.*

# REF Reference Identification

<b>Pos:</b> 390	<b>Max:</b> 1
<b>Detail - Optional</b>	
<b>Loop:</b> REF	<b>Elements:</b> 4

**User Option (Usage):** Used**Purpose:** To specify identifying information**Syntax Rules:**

1. R0203 - At least one of REF02 or REF03 is required.

**Semantics:**

1. REF04 contains data relating to the value cited in REF02.

**Federal Note:**

Use the 2/REF/390 loop to provide Unique Identification (UID) information for the purpose of Unique Item Tracking (UIT).

**DLMS Note:**

1. Must use 2/REF/390 loop in Ammunition Freeze/Unfreeze transactions when the item identified is subject to UIT requirements.
2. This transaction will support item identification based upon the unique item identifier (UII) or the serial number, and provides flexibility to accommodate tracking by UII or serial number.
3. This transaction also provides for use of a batch/lot number when applicable.
4. The 2/REF/390 loop is repeated for each item to be uniquely identified.
5. If UII and serial number, and/or batch/lot number are required for the item, enter the UII in REF01, and enter the serial number and/or batch/lot number in REF04. If UII is not used, enter the serial number in REF01 and enter the batch/lot number in REF04. If only batch/lot number is required, enter the batch/lot number in REF01.
6. The entire 2/REF/390 loop is a DLMS enhancement. See introductory DLMS note 4a.

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use	1

**Description:** Code qualifying the Reference Identification

**Federal Note:** Use any code.

**DLMS Note:** For DLMS use, only the following codes are authorized.

**Code Name**

BT Batch Number

**DLMS Note:**

1. Use to identify the manufacturer's batch/lot number or other number identifying the production run when UII and/or serial number are not required. If UII and/or serial number are required in addition to the batch/lot number, enter the batch/lot number in REF04. The batch/lot number may not exceed 20 characters in accordance with IUID policy.

2. DLMS enhancement. See introductory DLMS note 4a.

SE Serial Number

**DLMS Note:**

1. Use to identify the serial number when UII is not required. If UII is required in addition to the serial number, enter serial number in REF04.

2. DLMS enhancement. See introductory DLMS note 4a.

U3 Unique Supplier Identification Number (USIN)

**DLMS Note:**

1. Use to identify the UII. Place UII value in REF03. The UII may not exceed 50 characters in accordance with IUID Policy. An ANSI data maintenance was approved in version 5020. The approved code/name is "UII-Department of Defense Unique Item Identifier".

**Code Name**

2. Authorized DLMS migration enhancement. See DLMS introductory note 4e.

REF02	127	<b>Reference Identification</b>	X	AN	1/30	Used	1
-------	-----	---------------------------------	---	----	------	------	---

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**DLMS Note:** For use with REF01 codes BT and SE.

REF03	352	<b>Description</b>	X	AN	1/80	Used	1
-------	-----	--------------------	---	----	------	------	---

**Description:** A free-form description to clarify the related data elements and their content

**DLMS Note:** Use to indicate U11 value when REF01=U3.

REF04	C040	<b>Reference Identifier</b>	O	Comp		Used	1
-------	------	-----------------------------	---	------	--	------	---

**Description:** To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier

REF04-01	128	<b>Reference Identification Qualifier</b>	M	ID	2/3	Must use	1
----------	-----	---	---	----	-----	----------	---

**Description:** Code qualifying the Reference Identification

**Federal Note:** Use any code.

**DLMS Note:** For DLMS use, only the following codes are authorized.

**Code Name**

BT Batch Number

**DLMS Note:**

Use to identify the manufacturer's batch/lot number or other number identifying the production run, when U11 or serial number is entered in REF01, and batch/lot is the only other identifying number in 2/REF/390. The batch/lot number may not exceed 20 characters in accordance with IUID policy.

SE Serial Number

**DLMS Note:**

Use to identify the serial number when U11 is entered in REF01 and serial number is also used.

REF04-02	127	<b>Reference Identification</b>	M	AN	1/30	Must use	1
----------	-----	---------------------------------	---	----	------	----------	---

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF04-03	128	<b>Reference Identification Qualifier</b>	X	ID	2/3	Used	1
----------	-----	---	---	----	-----	------	---

**Description:** Code qualifying the Reference Identification

**Federal Note:** Use any code.

**DLMS Note:** For DLMS use only the following codes are authorized.

**Code Name**

BT Batch Number

**DLMS Note:**

Use to identify the manufacturer's batch/lot number or other number identifying the production run, when U11 is entered in REF01, and serial number is entered in REF04-01. The batch/lot number may not exceed 20 characters in accordance with IUID policy.

REF04-04	127	<b>Reference Identification</b>	X	AN	1/30	Used	1
----------	-----	---------------------------------	---	----	------	------	---

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

# DTM Date/Time Reference

Pos: 400	Max: >1
Detail - Optional	
Loop: REF	Elements: 2

**User Option (Usage):** Used

**Purpose:** To specify pertinent dates and times

## Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
DTM01	374	<b>Date/Time Qualifier</b>	M	ID	3/3	Must use	1
<p><b>Description:</b> Code specifying type of date or time, or both date and time</p> <p><b>Federal Note:</b> Use any code.</p> <p><b>DLMS Note:</b> For DLMS use, only the following codes are authorized.</p> <p><b>Code Name</b></p> <p>094 Manufacture</p> <p><b>DLMS Note:</b></p> <p>1. Use to identify the date of manufacture of the material identified.</p> <p>2. DLMS enhancement; see DLMS supplement note 4a.</p> <p>511 Shelf Life Expiration</p> <p><b>DLMS Note:</b></p> <p>1. Use to identify the shelf life expiration date.</p> <p>2. DLMS enhancement; see DLMS supplement note 4a.</p>							
DTM02	373	<b>Date</b>	X	DT	8/8	Used	1
<p><b>Description:</b> Date expressed as CCYYMMDD</p>							

# N1 Name

<b>Pos: 410</b>	<b>Max: 1</b>
<b>Detail - Optional</b>	
<b>Loop: REF</b>	<b>Elements: 3</b>

**User Option (Usage):** Used**Purpose:** To identify a party by type of organization, name, and code**Syntax Rules:**

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

**Comments:**

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

**DLMS Note:***Use to identify the manufacturer of the UIT item.***Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use	1
		<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual					
		<b>Federal Note:</b> Use any code.					
		<b>DLMS Note:</b> For DLMS use, only the following codes are authorized.					
		<b>Code Name</b>					
		MF Manufacturer of Goods					
N103	66	<b>Identification Code Qualifier</b>	X	ID	1/2	Used	1
		<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)					
		<b>Code Name</b>					
		33 Commercial and Government Entity (CAGE)					
N104	67	<b>Identification Code</b>	X	AN	2/80	Used	1
		<b>Description:</b> Code identifying a party or other code					

# LE Loop Trailer

<b>Pos: 440</b>	<b>Max: 1</b>
<b>Detail - Mandatory</b>	
<b>Loop: LS</b>	<b>Elements: 1</b>

**User Option (Usage):** Used

**Purpose:** To indicate that the loop immediately preceding this segment is complete

## Semantics:

- One loop may be nested contained within another loop, provided the inner nested loop terminates before the other loop. When specified by the standards setting body as mandatory, this segment in combination with "LS", must be used. It is not to be used if not specifically set forth for use. The loop identifier in the loop header and trailer must be identical. The value for the identifier is the loop ID of the required loop beginning segment. The loop ID number is given on the transaction set diagram in the appropriate ASC X12 version/release.

## Comments:

- See Figures Appendix for an explanation of the use of the LE and LS segments.

## Federal Note:

*Use in each 2/QTY/320 loop to terminate any 2/REF/390 loop iterations.*

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LE01	447	<b>Loop Identifier Code</b>	M	AN	1/6	Must use	1

**Description:** The loop ID number given on the transaction set diagram is the value for this data element in segments LS and LE

**Federal Note:** *Repeat the content of 2/LS/380.*

# N1 Name

<b>Pos: 450</b>	<b>Max: 1</b>
<b>Detail - Optional</b>	
<b>Loop: N1</b>	<b>Elements: 4</b>

**User Option (Usage):** Used**Purpose:** To identify a party by type of organization, name, and code**Syntax Rules:**

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

**Comments:**

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

**Federal Note:**

*Must use this 2/N1/450 loop to identify the organization to receive the transaction.*

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use	1
		<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual					
		<b>Federal Note:</b> Use any code.					
		<b>DLMS Note:</b> For DLMS use, only the following code is authorized.					
		<b>Code</b>	<b>Name</b>				
		SB	Storage Area				
		<b>DLMS Note:</b>					
		<i>Must use to indicate the storage organization.</i>					
N103	66	<b>Identification Code Qualifier</b>	X	ID	1/2	Used	1
		<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)					
		<b>Code</b>	<b>Name</b>				
		1	D-U-N-S Number, Dun & Bradstreet				
		<b>DLMS Note:</b>					
		<i>DLMS enhancement; see DLMS supplement note 4a.</i>					
		9	D-U-N-S+4, D-U-N-S Number with Four Character Suffix				
		<b>DLMS Note:</b>					
		<i>DLMS enhancement; see DLMS supplement note 4a.</i>					
		10	Department of Defense Activity Address Code (DODAAC)				
		<b>DLMS Note:</b>					
		<i>DLMS enhancement; see DLMS supplement note 4a.</i>					
		M4	Department of Defense Routing Identifier Code (RIC)				
N104	67	<b>Identification Code</b>	X	AN	2/80	Used	1
		<b>Description:</b> Code identifying a party or other code					
N106	98	<b>Entity Identifier Code</b>	O	ID	2/3	Used	1
		<b>Description:</b> Code identifying an					

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		organizational entity, a physical location, property or an individual					
		<b>Code Name</b>					
	TO	Message To					
		<b>Federal Note:</b>					
		<i>Must use to indicate that the organization cited in N104 is receiving the transaction.</i>					

# SE Transaction Set Trailer

<b>Pos: 020</b>	<b>Max: 1</b>
<b>Summary - Mandatory</b>	
<b>Loop: N/A</b>	<b>Elements: 2</b>

**User Option (Usage):** Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

**Comments:**

1. SE is the last segment of each transaction set.

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
SE01	96	<b>Number of Included Segments</b>	M	N0	1/10	Must use	1
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments					
SE02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use	1
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		<b>Federal Note:</b> <i>Cite the same number as the one cited in ST02</i>					