



OFFICE OF THE SECRETARY OF DEFENSE
WASHINGTON, DC 20301-1000



DEFENSE LOGISTICS
STANDARD SYSTEMS OFFICE
CAMERON STATION
ALEXANDRIA, VA 22304-6100
DLSSO-BM

03 SEP 1987

SUBJECT: Approved MILSTRIP Change letter (AMCL) 162, Requisition Rejection,
Incorrect Unit of Issue (Staffed by PMCL 472)

TO: Commander, U. S. Army Materiel Command
ATTN: AMCSM-PDP
Commander, Naval Supply Systems Command
ATTN: SUP 0323
Commander, Air Force Logistics Command
ATTN: AFLC/MMSLC
Commandant of the Marine Corps
ATTN: LLS-4
Commandant, U. S. Coast Guard
ATTN: G-FLP-1
General Services Administration, Federal Supply Service
ATTN: FCI, Room 500
Commander, Field Command, Defense Nuclear Agency
ATTN: FCLMM
Director, National Security Agency
ATTN: L112
Executive Director, Supply Operations, DLA
ATTN: DLA-OSC
U. S. Transportation Command, Director of Deployment
ATTN: TCJD-SA

1. References:

a. DLSSO-BM letter 2 December 1986, subject: Request for
Implementation Date on Approved MILSTRIP Change (AMCL) 162, Requisition
Rejection, Incorrect Unit of Issue (Staffed by PMCL 472).

b. DoD 4140.17-M, MILSTRIP, 16 January 1984, as amended.

2. As a result of staffing reference 1.a , the enclosed change to
reference 1.b is established as Approved MILSTRIP Change Letter (AMCL)
162 with the following staggered implementation dates: Coast Guard, GSA,
and DNA, 1 November 1987; Army and DLA, 1 November 1988; Air Force and
Marine Corps, 1 November 1989; and Navy, 1 November 1994. Other Approved
MILSTRIP Changes scheduled for 1 November 1987 are: AMCLS 132B, 143,
144, 147, 148, and 161.

03 SEP 1987

PAGE 2


SUBJECT: Approved MILSTRIP Change Letter (AMCL) 162, Requisition Rejection,
Incorrect Unit of Issue (Staffed by PMCL 472)

3. The DLSSO-BM point of contact is

1 Encl

cc:
DASD(L/SD)

DISTRIBUTION:
DLSSO 10B


PHILIP M. SMITH
DoD MILSTRIP System
Administrator

Approved MILSTRIP Change Letter (AMCL) 162
Requisition Rejection, Incorrect Unit of Issue

1. Revise paragraph 3-1 in part to read:

"Code or Data Element

Unit of Issue

Entry in Column Blank or Incorrect

Enter correct unit of issue or reject. If rejected, enter correct Unit of Issue in rp 79-80 of Supply Status transaction."

2. Revise Appendix B16 in part to read:

"Code

CE

Explanation

Rejected. Unit of issue in original requisition, which is reflected in columns 23-24 of this status document, does not agree with ICP unit of issue and cannot be converted. If still required, submit a new requisition with correct unit of issue and quantity. Supply source will enter the correct unit of issue in rp 79-80 of status transactions."

3. Revise Appendix C9 in part to read:

"For DI Code AE transactions with Status Code CE

Field Legend

Record Position

Entry and Instructions

79-80

For transactions containing rejection Status Code CE in rp 65-66, supply source will enter the correct unit of issue in rp 79-80.